

BUNKERING

Choose the correct answer

* This form will record your name, please fill your name.

1. Marine fuel oil is the supply of fuel oil for ships for the fuel oilby ships while travelling.

- consumed
- spent
- wasted

2. Fuel can be loaded in different ways depending on the destination of the bunker material and the at the bunkering terminal.

- arrangements
- facilities
- comforts

3. Where a ship requiring bunkering is unable to at the terminal, a barge is used to bring the product alongside the ship for off-loading.

- park
- dock
- land

4. The Chief Engineer is in charge ofthe process of bunkering.

- foreseeing
- overlooking
- supervising

5. Arrangement in a straight line or in correct positions is

- lane
- lining
- alignment

6. The amount a container, such as a fuel tank, lacks of being full is

- draft
- ullage
- bearing

7.fire fighting equipment.

- Mount
- Fix
- Rig

8.are special buckets for small drops of oil.

- Drip trays
- Scuttles
- Scuppers

9. Before bunkering reduce loadingbefore topping off.

- rythm
- range
- rate

10. Plugbefore bunkering.

- save- alls
- scuppers
- drip trays

11.off hoses before lifting them over the side.

- Blank
- Plug
- Top

12. After bunkering, drain anddrip trays.

- stow
- retain
- assign

13. Make sure the bunkering area islit.

- adequately
- enough
- strongly

14. Place oil absorbent materials and oil brooms atlocations.

- notified
- claimed
- designated

15. Ensure seamen areto tend moorings.

- verified
- confirmed
- assigned

16. Give warning to the terminal before the final notification on the interruption of the flow.

- ample
- validity
- joint

17. are big tires used to protect the ship when bunkering.

- Fenders
- Scales
- Scrapers

18. Unlit vesselthe vicinity.

- on
- in
- into

19. is to allocate, appoint a job.

- Assign
- Notify
- Instruct

20. Tois to decide.

- monitor
- appoint
- determine

21. If the weather conditions are, abort the operation if required.

- substandard
- adequate
- adverse

22. After bunkering disconnect hose

- valves
- soundings
- couplings

23. Do notthe loading rate.

- discard
- exceed
- isolate

24.the rust off the hatch covers.

- Mop
- Grease
- Scrape

25. Usebrushes to remove the paint.

- wiping
- chipping
- abrasive

26. You shouldthe worn end of the rope, when necessary.

- crack
- crop
- grease

27. Ahammer is used to remove paint.

- scraper
- scoring
- scaling

28.is done by throwing sand at high speed with high pressure air against the steel.

- Sandblasting
- Sandpaper
- Gritblasting

29.are the base for the final paint layers.

- Paint stripping compounds
- Primers
- Coatings

30.plan is a plan designed to take account of possible future event or circumstance.

- Familiarity
- Precaution
- Contingency

This content is neither created nor endorsed by Microsoft. The data you submit will be sent to the form owner.

 Microsoft Forms